QisDESIGN

Imagine Another Possibility

QisDESIGN

# QisDESIGN

$$E = mc^2$$

Imagination is everything.
It is the preview of life's coming attractions.

Albert Einstein

Everything you can imagine is real.

Pablo Picasso

Limitations live only in our minds
Dare to imagine
Our possibilities then become limitless
Go beyond what is known

Imagine Another Possibility

Possibilities that Enrich
Human Life

Rising beyond traditional boundaries,
QisDesign delivers a unique sensory experience that
dramatically changes the relationship
between you and the light.
It enriches your life, and stimulates your imagination.

Index

Compasso

Tighten the hinge at the top of the compass, align the pencil lead with the compass's needle, press down the needle and turn the knob to draw a circle. A simple instrument like compasses opens the gate to mathematics and science, leads our way through the world of knowledge.

It is this technical drawing instrument that inspired our designer to realize The Compasso Light, an adjustable LED task lamp that features two aluminum arms, flexible rubber hoop and a round zinc alloy base. A perfect combination of lines and circles, the Compasso Light represents a fine balance between hard and soft, fuses form and function while expressing a sense and sensibility.

Compasso

Compasso / 798 × 569 mm

Compasso

The BE Light

The art of folding a flat sheet of paper into a sculptural three dimensional form, has for centuries fascinated people with its sophisticated precision and simplicity. Inspired by this traditional art form, the BE Light itself becomes a sculptural three dimensional work of art. Instead of using traditional paper, the Be Light makes use of metal, lending it a permanence. When not extended, it has a flat, modern, yet understated appearance. The carefully engineered light, when extended, becomes adjustable thanks to an arm that can easily be stretched open as if it were a folded piece of paper. The counterweight design enables the arm to stand firm and steady, instilling a sense of tranquility and simplicity into this motional feature.

BE

iF product design award 2013

GOLDEN PIN DESIGN AWARD
金 點 設 計 獎

reddot design award winner 2012

GOOD DESIGN

BE Light Table / 450.5 × 466.6 mm (90°)
BE Light Floor / ⌀300 × 1751 mm

BE

The Seagull Light

The design is inspired by the seagull that carries an image of being free, light and yet strong. To embody a touch of lightness and a sense of freedom in the luminaire, the design puts LED underneath the "wings" to highlight the thinness, which can only be achieved by LED thanks to its small-size character. The design also places the knobs on the body to allow easy maneuver for users to adjust the lighting, giving them the freedom of creating their own desired ambience. The choice of metal material makes the lamp look steady and delivers a premium feel.

Seagull

reddot design award
winner 2011

GOOD
DESIGN

Seagull Table / Ø230 × 630 mm
Seagull Floor / Ø330 × 1620 mm
Seagull Suspension / Ø135 × 2000 mm (max.)

Seagull

Hatha

Hatha Yoga, the world's oldest system of physical and mental exercise from India, is a method of harmonizing one's body and mind. It refers to masculine aspects–active, hot, sun - and feminine aspects - receptive, cool, moon - within all of us, or simply a combination of Yin and Yang.

Inspired by this inner-peace-seeking exercise, the Hatha Lamp is formed with a zinc alloy metal base and bendable rubber lamp body. Adjustable and able to twist at any angle, the Hatha Light represents a balance of strength and flexibility, an instrument that lights up your inner life.

Hatha

Hatha / 155 × 400 mm (normal position)

Hatha

The Piano Light

Slide your fingers across the keys and enter an experience of illuminating imagination. A melody of light will entrance you as it flows out from the Piano Light!

The design is inspired by the piano keyboard, which allows users to play with light, as if they are playing with the music. Not only does the function take cue from the piano, the form also sports an elegant and classic look. The lighting panel is composed of independent units, each of which can work solo or in harmony. A simple and gentle tilt of the Piano Light, just like playing the piano, activates the illumination and fills the space with warm and tender light.

Piano

reddot design award
winner 2010

GOLDEN PIN
DESIGN AWARD
金 點 設 計 獎

GOOD
DESIGN

Piano Table / Ø200 × 460 mm
Piano Floor / Ø320 × 1570 mm

Piano

The Crystal Light

The concept of the Crystal Light is derived from natural growing crystal that diffuses amazing shimmers of light. It is a high tech fixture composed of a series of lighting units, each of which sports a crystal-like look and connected by magnet with adjacent units.

When the Crystal Light is switched off, the metal look emits a mysterious image, as if it were just unearthed. When switched on, light from LED bulb hidden inside of each unit, beams though the diffuser.

Colors of the Crystal Light change in rhythm, like rays of light glistening within crystal, transforming the metal surface into a seducing luminescent show.

reddot design award
winner 2009

Crystal / 73 × 73 mm

Crystal

The Coral Reef Light

A collaboration with Taiwan's National Museum of Marine Biology & Aquarium, the Coral Reef Light which is inspired by the coral reef, aims to capture the magical feel of light reflecting in the underwater world. Based on the nature's theme, it comes with organic shape and swivellable feature, symbolizing the dynamic and ever-changing essence of the nature. Just like the ocean's serenity is always countered with endless tidal and light movement, The Coral Reef Light also boasts a strong contrast in design as its motional feature is imbued with a subtle tone. Its design thus delivers a touch of grace and exquisite gesture.

Coral Reef

iF product design award
2011

GOLDEN PIN
DESIGN AWARD
金 點 設 計 獎

reddot design award
best of the best 2011

NATIONAL
MUSEUM
OF MARINE BIOLOGY &
AQUARIUM
國 立 海 洋 生 物 博 物 館

Coral Reef Table / 382 × 465 mm
Coral Reef Floor / Ø330 × 1618 mm

Coral Reef

The Aurelia Light

Mysterious and captivating, glowing jellyfish always luminesces gently, like a moon in the dark sea. It allured our design team into conceptualizing a lamp that recreates the wonder of the luminous Aurelia.

Collaborating again with Taiwan's National Museum of Marine Biology and Aquarium, we studied various life forms of jellyfish. It resulted in a design comparable to jellyfish, both literally and figuratively. The transparent double acrylic shades resemble the airy body of the enchanting animal, creating a dreamy and irresistible charm. The changeable lighting effect also corresponds to the very essence of the ever-changing nature.

Aurelia

GOLDEN PIN
DESIGN AWARD
金 點 設 計 獎
Best design of the year

NATIONAL
MUSEUM
OF MARINE BIOLOGY &
AQUARIUM
國 立 海 洋 生 物 博 物 館

Aurelia Table / Ø350 × 460 mm
Aurelia Suspension / Ø135 × 2000 mm (max.)

Aurelia

The Coral Light

The design is inspired by exquisite corals in the ocean. Imitating how natural coral reflects rays of light through the water, the Coral Light radiates lights through the diffusers to create a dreamy and cozy illumination.

To carry out this project, our design team collaborated with Taiwan's National Museum of Marine Biology and Aquarium, an internationally renowned aquarium with expertise in coral preservation. Based on the museum's marine knowledge, the design successfully delivers the sparkling light effect that can usually be seen in the underwater world.

Coral

reddot design award
winner 2009

NATIONAL
MUSEUM
OF MARINE BIOLOGY &
AQUARIUM
國立海洋生物博物館

GOOD
DESIGN

Coral Table / Ø212 × 550 mm / Ø212 × 450 mm
Coral Floor / Ø317 × 1680 mm
Coral Wall / Ø145× 306 mm
Coral Ball Suspension / Ø145 × 2000 mm (max.)
Coral Suspension / 550 × 550 × 1750 mm (max.)

Coral

Flamenca

Passionate and zestful, Flamenco, a highly-expressive performing art is known for its emotional intensity and rhythmic stomping of the feet.

Inspired by a fluttering flamenco dress, the Flamenca is an ambient light whose bi-color and curvy discs results in a strong colored lighting reflection. When users touch or put small decos on its metallic-like plate, the Flamenca will turn on the "dancing mode", circulating different yet beautiful lightness by itself. Not only does it resemble the colorful and wavy ruffles on a flamenco skirt, its changeable illumination also delivers the rich emotion of flamenco soul vividly, creating a delightful atmosphere to user's home.

GOLDEN PIN
DESIGN AWARD
金 點 設 計 獎

**Flamenca** / Ø200 x 95 mm

Flamenca

Compasso

Table / RP13_D

▬ Black

569 mm | 630.5 mm | 225 mm

798 mm | 1800 mm

Material	LED Color	Power Input	Switch
Silicone rubber, Zinc alloy, Aluminum alloy	Warm white	AC: 100-240V/50-60Hz DC:12V, 1.5A	Touch dimmer
Certification	Net Weight	Power Consumption	Illuminance
CE FC ⓔ ⓒⓒⓒ	4.3Kg	12W (max.)	40cm, 1500lux 30cm, 2700lux

BE Light

Table / ZR11_D

▭ Silver ▬ Black

334 mm | 466.6 mm | 135° | 90° | 43.8 mm | 70 mm

798 mm | 450.5 mm | 463.2 mm | 1800 mm

Material	LED Color	Power Input	Switch
Aluminum alloy, Die casting	Warm white	AC: 100-240V/50-60Hz DC: 12V, 1.5A	Dimmable switch* (in main body)
Certification	Net Weight	Power Consumption	Illuminance
CE FC ⓔ ⓒⓒⓒ	1.6Kg	12W (max.)	45cm, 1200lux (max.) 30cm, 2000lux (max.)

* Press and hold the switch button to adjust brightness.

Floor / ZR11_F

▭ Silver

113 mm | 1751mm | 692 mm | 113 mm

300 mm | 1800 mm

Material	LED Color	Power Input	Switch
Aluminum alloy, Die casting	Warm white	AC: 100-240V/50-60Hz DC: 12V, 1.5A	Dimmable switch* (in main body)
Certification	Net Weight	Power Consumption	
CE FC ⓔ ⓒⓒⓒ	3.95Kg	12W (max.)	

* Press and hold the switch button to adjust brightness.

Seagull

Table / BD10_D

▭ Silver

480 mm | 630 mm | 215 mm

Ø 230 mm | 575 mm | 1800 mm

Material	LED Color	Power Input	Switch
Aluminum alloy, Die casting, Stainless steel, Iron tube	Warm white Cool white	AC: 100-240V/50-60Hz DC: 12V, 2A	Dimmable switch*
Certification	Net Weight	Power Consumption	Illuminance
CE FC ⓔ ⓒⓒⓒ	2.3Kg	14W (max.)	430lm/wing: 0°:1000lux : -20°:1600lux

Floor / BD10_F

▭ Silver

390 mm | 610 mm | 1620 mm | 215 mm

Ø 330 mm | 575 mm | 1800 mm

Material	LED Color	Power Input	Switch
Aluminum alloy, Die casting, Stainless steel, Iron tube	Warm white	AC: 100-240V/50-60Hz DC: 12V, 2A	Dimmable switch*
Certification	Net Weight	Power Consumption	
CE FC ⓔ ⓒⓒⓒ	8.8Kg	14W (max.)	

* It has two knobs on the main body, the front one for adjusting brightness and the back for adjusting lighting angles. The pole supporting the main body has 2 axis, making it possible to turn the light in 360 degrees in vertical and horizontal direction.

Suspension / BD10_P

▭ Silver

Ø 135 mm | 40 mm | max. 2000 mm | 215 mm

575 mm

Material	LED Color	Power Input	Switch
Aluminum alloy, Die casting, Stainless steel	Warm white	AC: 100-240V/50-60Hz DC: 12V, 2A	Dimmable switch*
Certification	Net Weight	Power Consumption	
CE FC ⓔ ⓒⓒⓒ	1.1Kg	14W (max.)	

* It has two knobs on the main body, the front one for adjusting brightness and the back for adjusting lighting angles.

Hatha

Table / RL13_D

▬ Black

Material	LED Color	Power Input	Switch
Silicon rubber, Zinc alloy	Warm white	AC: 00-240V/50-60Hz DC:12V, 1.5A	Touch dimmer*
Certification	Net Weight	Power Consumption	Illuminance
CE FC (ETL) (CCC)	2.2Kg	6W (max.)	40cm, 1200lux 30cm, 2200lux

Press and hold the switch button to adjust brightness.

Piano

Table / PA01_D

▭ White

Material	LED Color	Power Input	Switch	Angular Distribution
Polycarbonate, Stainless steel	Warm white	AC: 100-240V/50-60Hz DC:15V, 1.2A	ON/OFF switch fitted on the power cord	
Certification	Net Weight	Power Consumption		
CE FC (ETL) (CCC)	3.5 kg	15W (max.)		

Floor / PA01_F

▭ White

| Material	LED Color	Power Input	Switch
Polycarbonate, Aluminum alloy	Warm white	AC: 100-240V/50-60Hz DC: 15V, 2.4A	ON/OFF switch fitted on the power cord
Certification	Net Weight	Power Consumption	
CE FC (ETL) (CCC)	7.6 Kg	32W (max.)	

Crystal

Table / NV_01

▭ Silver

Material	LED Color	Power Input	Switch
Polycarbonate	RGB LEDs	AC: 100-240V/50-60Hz DC: 15V, 1.2A	Remote control*
Certification	Net Weight	Power Consumption	
CE FC (CCC)	0.8kg/set**	7W (max.15W for sets with 16 lighting units)	

Remote control used for 2 pre-programmed lighting modes: Gradient (default)and Full Spectrum.
*** Each Crystal Light set comes in 8 lighting units.*

Coral Reef

Table / RF10_D

▭ Silver

Material	LED Color	Power Input	Switch
Aluminum alloy, Polycarbonate, Zinc alloy, Die casting	Warm white	AC: 100-240V/50-60Hz DC: 12V, 2A	Touch dimmer
Certification	Net Weight	Power Consumption	
CE FC (ETL) (CCC)	7.3Kg	24W (max.)	

Floor / RF10_F

▭ Metallic Pink ▭ Silver

Material	LED Color	Power Input	Switch
Aluminum alloy, Polycarbonate, Zinc alloy, Die casting	Warm white	AC: 100-240V/50-60Hz DC: 15V, 2.4A	ON/OFF switch fitted on the power cord
Certification	Net Weight	Power Consumption	
CE FC (ETL) (CCC)	12.5Kg	22W (max.)	

Aurelia

Table / JF11_D

Ø 350 mm
460 mm
1800 mm

■ Pink　■ Blue　■ Orange

Material	LED Color	Power Input	Switch
PMMA	Warm white	AC: 100-240V/50-60Hz DC: 12V, 1.5A	Touch switch
Certification	Net Weight	Power Consumption	
CE FC ⊖ ⑩ CCC	1.9Kg	18W (max.)	

Suspension / JF11_P

Ø135 mm
40 mm
max. 2000 mm
Ø 350 mm

■ Pink　■ Blue　■ Orange

Material	LED Color	Power Input	Switch
PMMA Stainless steel	Warm white	AC: 100-240V/50-60Hz	2-Step switch
Certification	Net Weight	Power Consumption	
CE FC ⊖ ⑩ CCC	1.86Kg	18W (max.)	

Coral

Table / CR01_DR45

Ø 212 mm
450 mm
Ø 150 mm
1800 mm

▨ Clear in warm white　■ Purple　■ Orange

Material	LED Color	Power Input	Switch	Angular Distribution
PMMA, Stainless steel	Warm white, Cool white*	AC: 100-240V/50-60Hz DC: 15V, 1.2A	ON/OFF switch fitted on the power cord	
Certification	Net Weight	Power Consumption		
CE FC ⊖ ⑩ CCC	2.5Kg	Clear = 7W Others = 5W		

* Clear finish is available in warm white while other finishes are available in cool white.

Table / CR01_DR55

Ø 212 mm
550 mm
High Power LED*
Ø 150 mm
1800 mm

▨ Clear

Material	LED Color	Power Input	Switch
PMMA, Stainless steel	Warm white	AC: 100-240V/50-60Hz DC: 15V, 1.2A	ON/OFF switch fitted on the power cord
Certification	Net Weight	Power Consumption	
CE FC ⊖ ⑩ CCC	2.7Kg	10W	

* Equipped with high-power LED on the supporting tray, it provides reading function.

Wall / CR01_W

35 mm
145 mm
301.5 mm
306.3 mm

▨ Clear

Material	LED Color	Power Input	Switch
PMMA, Stainless steel	Warm white	AC: 100-240V/50-60Hz	N/A
Certification	Net Weight	Power Consumption	
CE FC ⊖ ⑩ CCC	1.9Kg	5W	

Floor / CR01_FR

Ø 212 mm
1680 mm
483 mm　329 mm
Ø 317 mm
1800 mm　1800 mm

▨ Clear

Material	LED Color	Power Input	Switch
PMMA, Stainless steel	Warm white	AC: 100-240V/50-60Hz DC: 15V, 2.4A	ON/OFF switch fitted on the power cord
Certification	Net Weight	Power Consumption	
CE FC ⊖ ⑩ CCC	12.1Kg	20W	

Ø 145 mm

35 mm

max.
2000 mm

Ø 212 mm

Suspension / CR01_P

Clear in warm white · Purple · Orange

Material	LED Color	Power Input	Switch
PMMA, Stainless steel	Warm white, Cool white*	AC: 100-240V/50-60Hz	N/A

Certification	Net Weight	Power Consumption	
CE FC ETL CCC	1.8Kg	5W	

*Clear finish is available in warm white while other finishes are available in cool white.

36.5 mm

1750 mm

550 mm

550 mm

Suspension / CR01_P16

Frosted White

Material	LED Color	Power Input	Switch
PMMA, Metal	Cool white	AC: 100-240V/50-60Hz	N/A

Certification	Net Weight	Power Consumption	
CE FC ETL CCC	7.7Kg	7W	

Flamenca

Ø 200 mm

95 mm

Ø 80 mm

41.5 mm

1800 mm

Table / LC11_D

Clear · Pink
Green · Orange

Material	Power Input	Switch
PMMA	AC: 100-240V/50-60Hz DC:5V, 2A	Touch dimmer**

Certification	Net Weight	Power Consumption	
CE FC	0.36kg (Without battery) 0.45kg (with battery)	3W (max.)	

* Powered by either adapter, USB or battery.
** A gentle touch on the metallic-like plate will turn on the "dancing mode" to create a soft flowing effect. Press and hold on longer of the top plate to achieve various dimming illuminations and hold to turn off the light.